

LOTS 1 & 2- 4 WD 90 HP TRACTOR WITH MOUNTED DISC PLOW, TRAILING HARROW AND 3-TONNER TRAILER- 20 Units

Original Technical Specifications (as issued to prospective bidders)	Revisions on the Technical Specifications
<p>The item shall have the following minimum specifications:</p> <ol style="list-style-type: none"> 1. Brand New 2. Standard or Base Model 3. 4 Wheel Drive Tractor 4. Rated engine power: 90 HP; Minimum Output 86 HP 5. Power Take-Off (PTO): 85% of rated power (76.5 HP) at 540 rpm shaft speed 6. Diesel engine 4 cycle, 4 cylinders; Direct injection, Turbo charged, water cooled 7. Transmission: Minimum 9 x 3; location of gear shift lever must be placed in a position without hampering operator’s movement 8. Brakes: Hydraulic wet disc type 9. Steering: Power Steering 10. Swinging drawbar for trailed implements. 3-point hitch linkage for mounted implements. 11. Roll-over Protective Structure (ROPS) conforming to PAES 118 12. 2-point Safety Seat Belt 13. Fuel Tank Capacity: Manufacturer’s Standard 14. Fuel Consumption Rate: Maximum of 18 liters per hour 15. Lifting Capacity -Minimum 1,800 kgf 16. Ground Clearance at lowest point: Minimum of 380mm (14.96 inches) 	<ol style="list-style-type: none"> 4. Rated engine power: 90 HP 5. <u>Minimum</u> 85% of rated power at 540 rpm shaft speed

<p>17. Exhaust Pipe: Manufacturer’s Standard</p> <p>18. With one (1) set of brand new matching implements</p> <ul style="list-style-type: none"> • Mounted Disc Plow: Minimum 4 pcs discs x 660 mm (25.98 inches) • Trailing Disc Harrow: Minimum 18 pcs discs x 598 mm (23.54 inches) • Heavy duty trailer, minimum 3 tons load capacity, with axle and leaf spring suspension, 2 brand new wheels with 2 brand new tires and rear reflectorized Slow Moving Vehicle Emblem (SMVE) <p>OTHER REQUIREMENTS:</p> <ol style="list-style-type: none"> 1. On-site Technical Support Services (operation and repair/maintenance) within 72 hours upon receipt of notice 2. At least 3 years warranty period on parts and service except on consumables for tractors, minimum of 1 year for implements." 3. With reflectorized sticker printed with DAR logo and the words "DEPARTMENT OF AGRARIAN REFORM-CLIMATE RESILIENT FARM PRODUCTIVITY SUPPORT PROJECT" 4. AMTEC Test Results 5. For implements, duly signed and sealed certification by a local licensed Agricultural Engineer with a valid professional license stating that the specifications of the implements as shown in the manufacturer’s technical data conform to end-user’s requirements. 	
<p>ADDITIONAL REQUIREMENTS which should be submitted as proofs of evidence on the statement of compliance on the technical specifications:</p> <ol style="list-style-type: none"> 1. Manufacturer’s certification that the bidder is the authorized distributor of the offered goods or local distributor’s certification that the bidder is an authorized dealer of the offered goods. 	

“ANNEX A”

<p>2. Certification from the Manufacturer or Local Distributor that the brand being offered has been in the market for the last ten (10) years.</p> <p>3. Certification from the Distributor that parts and services for the goods offered are available for five (5) years within the Philippines.</p> <p>4. Certification from the Manufacturer that spare parts will be available for the next five (5) years from end of production.</p> <p>5. List service centers (can provide service contract)</p>	<p>2. Certification from the Manufacturer or Local Distributor that the brand being offered has been in the <u>Philippine</u> market for the last ten (10) years</p>
--	---



LOTS 3 & 4 – 4 WD 35 HP TRACTOR WITH MOUNTED ROTARY TILLER AND 1-TONNER TRAILER-58 Units

Original Technical Specifications (as issued to prospective bidders)	Revisions on the Technical Specifications
<p>The item shall have the following minimum specifications:</p> <ol style="list-style-type: none"> 1. Brand New 2. Standard or Base Model 3. 4 Wheel Drive Tractor 4. Rated engine power: Minimum 35 HP (nominal); Minimum Output Power of 33 HP 5. Power Take-Off (PTO): Minimum 80% of rated power (28HP) @ 540 rpm shaft speed 6. Diesel engine 4 stroke cycle, minimum of 3 cylinders; Direct injection, naturally aspirated, water cooled 7. Transmission: Minimum 8 x 2; location of gear shift lever must be located in a position where it doesn't hamper the operator's movement. 8. Brakes: Hydraulic wet disc type 9. Steering: Power Steering 10. Swinging drawbar for trailed implements. 3-point hitch linkage for mounted implements. 11. Roll-over Protective Structure (ROPS) conforming to PAES 118, with canopy 12. 2-point Safety Seat Belt 13. Fuel Tank Capacity: Manufacturer's Standard 14. Fuel Consumption Rate: Maximum of 12 liters per hour 15. Lifting Capacity -Minimum 650 kgf at 610 mm beyond link end 16. Ground Clearance at lowest point: Manufacturer's standard 17. Exhaust Pipe: Manufacturer's Standard 	<ol style="list-style-type: none"> 4. Rated engine power: 35 HP 5. Minimum 80% of rated power @ 540 rpm shaft speed 6. Diesel engine 4 stroke cycle, minimum of 3 cylinders; Direct injection, naturally aspirated/<u>turbo charged</u>, water cooled 10. <u>Fixed</u>/Swinging drawbar for trailed implements, 3-point hitch linkage for mounted implements

<p>18. With one (1) set of brand new matching implements</p> <ul style="list-style-type: none"> • Mounted rotary tiller 30 blades, Asian type or other suitable type of blades, width of cut: minimum 1 m. • Heavy duty trailer, minimum 1 ton load capacity, with axle and leaf spring suspension, 2 brand new wheels with 2 brand new tires and rear reflectorized Slow Moving Vehicle Emblem (SMVE) <p>OTHER REQUIREMENTS:</p> <ol style="list-style-type: none"> 1. On-site Technical Support Services within 72 hours upon receipt of notice 2. At least 3 years warranty period on parts and service except on consumables for tractors, minimum of 1 year for implements." 3. With reflectorized sticker printed with DAR logo and the words "DEPARTMENT OF AGRARIAN REFORM-CLIMATE RESILIENT FARM PRODUCTIVITY SUPPORT PROJECT " 4. AMTEC Test Results 5. For implements, duly signed and sealed certification by a local licensed Agricultural Engineer with a valid professional license stating that the specifications of the implements as shown in the manufacturer's technical data conform to end-user's requirements. 	<ul style="list-style-type: none"> • Mounted rotary tiller 30 blades (<u>minimum</u>), Asian type or other suitable type of blades, width of cut: minimum 1
<p>ADDITIONAL REQUIREMENTS which should be submitted as proofs of evidence on the statement of compliance on the technical specifications:</p> <ol style="list-style-type: none"> 1. Manufacturer's certification that the bidder is the authorized distributor of the offered goods or local distributor's certification that the bidder is an authorized dealer of the offered goods. 2. Certification from the Manufacturer or Local Distributor that the brand being offered has been in the market for the last ten (10) years. 3. Certification from the Distributor that 	<ol style="list-style-type: none"> 2. Certification from the Manufacturer or Local Distributor that the brand being offered has been in the <u>Philippine</u> market for the last ten (10) years.

“ANNEX A”

<p>parts and services for the goods offered are available for five (5) years within the Philippines.</p> <p>4. Certification from the Manufacturer that spare parts will be available for the next five (5) years from end of production.</p> <p>5. List service centers (can provide service contract)</p>	
---	--



LOT 5 – Rice Combine Harvester 18 Units

Original Technical Specifications (as issued to prospective bidders)	Revisions on the Technical Specifications
<p>The item shall have the following minimum specifications:</p> <ol style="list-style-type: none"> 1. Brand New. 2. Minimum 44 kW water-cooled 4-stroke, Direct Injection, 4-cylinder, Turbocharged, Diesel engine 3. Field Efficiency: 75% minimum 4. Harvesting Capacity: 3-5 ha/day 5. Branded rubber crawler track minimum 400mm wide 6. Threshing System: Full feeding, Spiked tooth 7. Fuel Tank Capacity: Minimum of 60 liters 8. Grain Tank approximately 200 to 300 kg grains 9. Cleaning System: Manufacturer's Standard 10. Crawler-truck gauge, Width x Ground Contact Length, Average Ground Contact Pressure and Ground Clearance: Manufacturer's Standard 11. Width of Cut: Minimum of 1800mm 12. Grains Loss: Not more than 3% 13. With brand new trailer bed / Towing trailer bed 14. Bagging Section: At least 40kgs 15. Loading type: Sack type 16. Safety Features: Reaping reverse mechanism or equivalent safety features 	<p>8. Grain Tank <u>Capacity</u>; <u>minimum</u> 200 kgs <u>palay</u></p> <p>14. Bagging Section: At least <u>46</u> kgs</p>



<p>17. Noise Level, db (A): Max. 95 db</p> <p>18. With Heavy Duty Standard Tools, Operation manuals and brochure.</p> <p>OTHER REQUIREMENTS:</p> <p>1. On-site Technical Support Services within 72 hours upon receipt of notice</p> <p>2. At least 2 years warranty period on parts and service except consumables.</p> <p>3. Lighting Equipment, Alarms (Coolant Temperature, Battery Charge, Engine Oil, Hopper Full and Tailings Clogging)</p> <p>4. With reflectorized sticker printed with DAR logo and the words “DEPARTMENT OF AGRARIAN REFORM-CRFPs PROJECT”</p> <p>5. Conformity with PAES. Should be supported with valid AMTEC test results, provided a tolerance results variance of +/- 3% of PAES performance standard is acceptable.</p>	
---	--

<p>ADDITIONAL REQUIREMENTS which should be submitted as proofs of evidence on the statement of compliance on the technical specifications:</p> <p>1. Manufacturer’s certification that the bidder is the authorized distributor of the offered goods or local distributor’s certification that the bidder is an authorized dealer of the offered goods.</p> <p>2. Certification from the Manufacturer or Local Distributor that the brand being offered has been in the market for the last ten (10) years.</p> <p>3. Certification from the Distributor that parts and services for the goods offered are available for five (5) years within the</p>	<p>2. Certification from the Manufacturer or Local Distributor that the brand being offered has been in the <u>Philippine</u> market for the last ten (10) years.</p>
---	--



“ANNEX A”

<p>Philippines.</p> <ol style="list-style-type: none">4. Certification from the Manufacturer that the bidder is an authorized dealer/distributor of Combine Harvester being offered for a period of at least three 3 years prior to the date of bid submission5. Certification from the Manufacturer that spare parts will be available for the next five (5) years from end of production.6. List service centers (can provide service contract)	
---	--



LOT 6 – Sugarcane Grubber and Loader - 7 Units

Original Technical Specifications (as issued to prospective bidders)	Revisions on the Technical Specifications
<ol style="list-style-type: none"> 1. Brand new, self-propelled, wheel type, 4WD 2. Diesel engine 3. Rated Engine power: 50 KW 4. Rated engine speed: 2200-2400 rpm 5. Hydraulic system working pressure: 19.5 MPa(2,828.23 PSI) 6. Maximum travel speed: 35 kph 7. Fuel consumption: 4 li./hour 8. Fuel tank capacity: 130 liters 9. Hydraulic tank capacity: 110 liters 10. Grade climbing ability: 58%/30 degrees 11. Grab rotation angle: 360 degrees 12. Grab turning speed: 15-30 RPM 13. Full swinging time: 5.5 seconds 14. Boom length: 3,475 mm. 15. Arm length: 1,860 mm. 16. Max. radius of capture: 6,000 mm. 17. Grab Max. opening: 1,100 - 1,500 mm. 18. Grab min. opening: 200- 300 mm 19. Dump height: 4,000-4,500 mm 20. Backend turning radius: 1,775 mm. 21. Wheelbase: 2,600 mm. 22. Wheel Track: front-1,660 mm., rear- 1,580 mm. 23. Minimum Ground Clearance: 200 mm. 24. Lighting equipment, alarms (coolant temperature, battery charge, engine oil, hopper 	



<p>full an tails clogging</p> <p>OTHER REQUIREMENTS:</p> <ol style="list-style-type: none"> 1. On-site Technical Support Services within 72 hours upon receipt of notice 2. Warranty: At least 2 years on parts except consumables 3. AMTEC test result 4. With reflectorized sticker printer with DAR logo and the words “DEPARTMENT OF AGRARIAN REFORM-CLIMATE RESILIENT FARM PRODUCTIVITY SUPPORT PROJECT” 	
<p>ADDITIONAL REQUIREMENTS which should be submitted as proofs of evidence on the statement of compliance on the technical specifications:</p> <ol style="list-style-type: none"> 1. Manufacturer’s certification that the bidder is the authorized distributor of the offered goods or local distributor’s certification that the bidder is an authorized dealer of the offered goods. 2. Certification from the Manufacturer or Local Distributor that the brand being offered has been in the market for the last ten (10) years. 3. Certification from the Distributor that parts and services for the goods offered are available for five (5) years within the Philippines. 4. Certification from the Manufacturer that spare parts will be available for the next five (5) years from end of production. 5. Certification from the Manufacturer that the bidder is an authorized dealer/distributor of sugarcane grabber and loader being offered for a period of at least two(2) years prior to the date of bid submission 6. List service centers (can provide service contract) 	<ol style="list-style-type: none"> 2. Certification from the Manufacturer or Local Distributor that the brand being offered has been in the <u>Philippine</u> market for the last ten (10) years.

